

# SECURICHARGE:EV

## EV OPENCHARGE

Type 2, Mode 3 Charging Socket(s)  
(GPRS/Ethernet Communication)  
3.6kW or 7.2kW

**ROLEC**  
EV Charging

MANUFACTURED IN THE UK



COMPLIANT



Unit shown: SECURICHARGE:EV  
EV OPENCHARGE  
2way Socket (Type 2) Charging Unit

The SECURICHARGE:EV OPENCHARGE wall-mounted charging point is a heavy-duty and vandal-resistant unit, providing the perfect solution for exposed locations.

This durable OCPP compliant charging unit can offer a simple pay-to-charge solution via the EV driver's smartphone and/or RFID card/fob authorisation through any chosen OCPP back office management system.

Available in both 1way or 2way versions, providing Mode 3 fast charging in 3.6kW or 7.2kW speeds, this unit features a built in GPRS antenna and Ethernet connection.

## PRODUCT FEATURES

- Mode 3 (IEC 61851-1) fast charging
- Available in 1way / 2way & 3.6kW (16A) / 7.2kW (32A) versions
- Type 2 (IEC 62196) charging socket(s) c/w security hatchlock(s)
- OCPP 1.6 compliant (Can integrate with any back office)
- Remote firmware updates
- Built-in RFID reader
- Built-in AC overload protection (MCB)
- Built-in AC & DC fault protection (RCD)
- Built-in LED charging status indicator socket halo(s)
- Built-in class 1 MID compliant kWh meter(s)
- EV driver Pay-to-Charge smartphone integration
- OLEV Grant Fundable under the Workplace Charging Scheme
- Easy to install & maintain
- IP Rated, UV stabilised, corrosion resistant & fire retardant

## Chargepoint Management

Unless otherwise stated at time of order, EV OPENCHARGE units will be automatically programmed to operate via the Rolec VENDELECTRIC back office management system.



See the VENDELECTRIC sheet Overview for details



OCPP 1.6  
Compliant



Grant  
Fundable



GPRS / Ethernet  
Connectivity



Branding & Colour  
Options Available








Secure  
& Durable



IP Rated &  
UV Stabilised

# SPECIFICATIONS

Product Code	OCPP0110	OCPP0111	OCPP0120	OCPP0121
Charging Socket(s)	1x Type 2 (IEC 62196) 		2x Type 2 (IEC 62196) 	
Rated Output	3.6kW	7.2kW	3.6kW	7.2kW
Rated Current	16A	32A	16A	32A
Charge Protocol	Mode 3			
Input Voltage	230V AC/50Hz (Single Phase)			
AC Overload Protection	1x C20A MCB	1x C40A MCB	2x C20A MCBs	2x C40A MCBs
AC & DC Fault Protection	1x Type B RCD		2x Type B RCDs	
Cable Terminals	3x 50mm			
Communications	GPRS (Recommended signal strength of 14 CSQ or above) RJ45 ethernet connection			
Standby Consumption	Approx 0.4kWh per day		Approx 0.5kWh per day	
Certifications & Compliances	EV Charging Compliance – EN 61851-1:2011, BS EN 62196-1:2014, BS EN 62196-2:2017			
	Wiring Regulations – BS 7671			
	EMC Compliance – EN 301 489-01 V2.2.0, EN 301 489-03 V2.1.1, EN 301 489-52 V1.1.0, EN 50470-1:2006 (1x Skt) or EN 55032:2012 (2x Skts)			
	Spectrum/Telecom – EN 301 511 V9.0.2, EN 300 330 v2.1.1			
	RED – 2014/53/EU – EN 62311:2008			
	Safety Compliance (LVD) – 2014/35/EU			
	Environmental Protection – Enclosure IP54, Socket IP54 (BS EN 60529:1992+A2:2013)			
 				
Dimensions	320mm x 575mm x 155mm (W x H x D)			
Unit Material	Bodywork manufactured in heavy duty 1.5mm steel & applied with 45 - 55 microns of zinc primer			
Unit Finish	Corrosive resistant, textured Polyester powder coating			
Operating Temperature	-30°C to +50°C			
Standard Body Colour	Black (Other colours available upon request)			
Standard Fascia Colour	Black (Other colours available upon request)			



## EV OPENCHARGE

- Smart charging control via mobile phone and/or RFID
- Can integrate with any chosen OCPP back office management system
- Open Charge Point Protocol 1.6 (OCPP 1.6)
- On board GPRS modem with antenna
- Ethernet connection

## OPTIONS & ACCESSORIES

- RFID card/fobs
- Load Manager system (electrical distribution management)
- Corporate branding (colours, logo badge, etc.)
- Charge point signage
- EV charging cables (Type 1 to Type 2 or Type 2 to Type 2)



Images are for marketing purposes only and are not contractual © 2020



Head office contact:  
t: +44 (0) 1205 724754  
f: +44 (0) 1205 724876  
rolec@rolecserv.co.uk

Rolec Services Ltd  
Ralphs Lane, Frampton West  
Boston, Lincolnshire  
UK. PE20 1QU

 @RolecEV  
 /Rolec-Services  
[www.rolecserv.com](http://www.rolecserv.com)

EVSCOOD-V02-R2 SecuriCharge EV OpenCharge - Data Sheet